



# Safety Data Sheet

Date of Issue: Mar 2015 Revision Number: 06

<b>Section 1-Identification of the substance and of the Company</b>	
Product Name: <b>Display Tack</b>	
<b>Company Identification:</b>	
Importer/Distributor Zart Art Pty Ltd 48 Overseas Drive Noble Park North 3174, Vic. Australia	Tel: 61 3 9890 1867 Fax: 61 3 9898 6527  Emergency: 13 11 26

<b>Section 2- Chemical Composition/Information on Ingredients:</b>		
No hazardous ingredients known to company.		
<b>Composition:</b>		
Chemical name	CAS No.	active in product
CaCO3	471-34-1	60%
Butyl rubber	9010-85-9	40%

<b>Section 3-Hazards Identification:</b>
<b>Caution:</b> Not a significant fire hazard. May cause irritation of nose, throat and lungs if allowed to become airborne. May cause eye irritation.
<b>HMIS Rating:</b> HEALTH = 1 (slight) FLAMMABILITY = 0 (minimal) REACTIVITY = 0 (minimal)
<b>Potential Health Effects:</b> <b>Immediate Hazards:</b> <b>INGESTION:</b> Not expected to be harmful under normal conditions of use. <b>INHALATION:</b> Not expected to be harmful under normal conditions of use. However, if allowed to become airborne, may cause irritation of nose, throat and lungs. <b>SKIN:</b> May cause irritation on prolonged or repeated contact. <b>EYES:</b> May cause irritation on prolonged or repeated contact. <b>Delayed Hazards:</b> None of the components present in this product at concentrations equal to or greater than 0.1% have been listed by NTP, classified by IARC, nor regulated by OSHA as a carcinogen.

<b>Section 4-First Aid Measures:</b>
--------------------------------------



# Safety Data Sheet

Date of Issue: Mar 2015 Revision Number: 06

<p><b>Exposure Controls:</b>                  If airborne contaminants are generated when the material is heated or handled, sufficient ventilation in volume and air flow patterns should be provided to keep air contaminant concentration levels below acceptable criteria.</p> <p><b>Personal Protection:</b>                  Where air contaminants can exceed acceptable criteria, use NIOSH/MSHA approved respiratory protection equipment. Respirators should be selected based on the form and concentration of contaminants in air in accordance with OSHA laws and regulations or other applicable standards or guidelines, including ANSI standards regarding respiratory protection. Use goggles if contact is likely. Wear impervious gloves as required to prevent skin contact.</p> <p><b>Exposure Guidelines:</b> None established.</p>
---

Section 9 - Physical and Chemical Properties:		
<b>Appearance :</b> White solid	<b>Odour:</b> Odourless	<b>Percent Volatiles :</b> 30
<b>Boiling Point:</b> 100 °C	<b>Freezing Point:</b> 0 °C	<b>Flash Point:</b> N/A
<b>Upper/Lower Flammable Limits:</b> N/A	<b>Explosive Properties:</b> N/A	<b>Evaporation Rate (Butyl Acetate=1):</b>
<b>Vapour Density(Air=1):</b> < 1	<b>Specific Gravity:</b> 1.0	<b>Solubility In Water:</b> Dispersible
<b>Vapor Pressure, mm Hg @ 20 C:</b> 16	<b>Autoignition Temperature:</b> N/A	<b>Ph @25°C:</b> 9

<p><b>Section 10-Stability and Reactivity:</b>                  Normally stable as defined in NFPA 704-12(4-3.1).  <b>Incompatibilities:</b> Oxidizers, acids or bases.  <b>Decomposition products may include:</b> Oxides of carbon and nitrogen.  <b>Hazardous polymerization:</b> Will not occur.  <b>Other Hazards:</b> None known to company.</p>
--

<p><b>Section 11 - Toxicology Information:</b>                  See Section 3 Hazards Identification information.</p>
---

<p><b>Section 12 - Ecological information:</b></p>
--



# Safety Data Sheet

Date of Issue: Mar 2015 Revision Number: 06

<b>Skin Contact:</b> In case of irritation, flush with water.	<b>Eye contact:</b> Immediately flush eyes with plenty of water. Call a physician if irritation persists.
<b>Inhalation:</b> Remove to fresh air.	<b>Ingestion:</b> If accidentally swallowed, dilute by drinking large quantities of water. Immediately contact poison control center or hospital emergency room for any other additional treatment directions.

<b>Section 5 - Fire -Fighting Measures:</b>
<b>Autoignition Temperature:</b> Not available <b>Upper/Lower Flammable Limits:</b> Not applicable <b>Up/Lower Explosive Limits, % by Vol:</b> Not applicable <b>Flash Point:</b> Not applicable Will not burn unless water has evaporated. Dried material may burn. In case of fire, water should be used to keep fire-exposed containers cool.

<b>Section 6-Accidental Release Measures:</b>
Sweep (scoop) up and remove to a chemical disposal area. Prevent entry into natural bodies of water.

<b>Section 7-Handling and storage:</b>
<b>Handling:</b> Handle in accordance with good industrial hygiene and safety practices. Always use appropriate Personal Protective Equipment (PPE). <b>INHALATION:</b> Avoid prolonged or repeated breathing of dust or vapor. <b>SKIN:</b> Avoid prolonged or repeated contact with skin and clothing. <b>EYES:</b> Avoid prolonged or repeated contact with eyes.
<b>Storage:</b> Keep from freezing. Store in a cool, dry place. Keep containers tightly closed.

<b>Section 8-Exposure Controls/Personal Protection:</b>
---



# Safety Data Sheet

**Date of Issue: Mar 2015 Revision Number: 06**

Not available

## Section 13 - Disposal Considerations:

Dispose of according to local, state/provincial, and federal requirements.

## Section 14 - Transport Information:

### U.S. Department of Transportation (DOT):

The data provided in this section is for information only and may not be specific to your package size. You will need to apply the appropriate regulations to properly classify your shipment for transportation. Non-Regulated.

**Canadian Transportation of Dangerous Goods (TDG):** Non-Regulated.

## Section 15-Regulatory information(Selected Regulations)

### U.S. Federal Regulations:

#### OSHA Hazard Communication Standard 29CFR1910.1200:

This material is not a "health hazard" or a "physical hazard" as determined when reviewed according to the requirements of the Occupational Safety and Health Administration 29 CFR Part 1910.1200 "Hazard Communication" Standard.

**SARA Title III: Section 311/312:** Does not meet any hazard category

#### SARA Title III Section 313 and 40 CFR Part 372:

This product contains the following toxic chemical(s) subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986, and Subpart C-Supplier Notification Requirement of 40 CFR Part 372. None required per SARA TITLE III SECTION 313.

#### TSCA Section 8(b) Inventory:

All reportable chemical substances are listed on the TSCA Inventory. We rely on certifications of compliance from our suppliers for chemical substances not manufactured by us.



# Safety Data Sheet

Date of Issue: Mar 2015 Revision Number: 06

## Canadian Regulations:

### Workplace Hazardous Materials Information System (WHMIS):

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulation (CPR) and the MSDS contains all the information required by the CPR. Not a controlled product

### Canadian Environmental Protection Act (CEPA):

All reportable chemical substances are listed on the Domestic Substances List (DSL) or otherwise comply with CEPA new substance notification requirements.

### National Pollutant Release Inventory (NPRI):

This product contains the following chemical(s) subject to the reporting requirements of the Canadian Environmental Protection Act (CEPA) subsection 16(1), National Pollutant Release Inventory. None required.

## Section 16 - Other Information:

### CP (Non-Toxic):

Products bearing the CP Certified Product Seal of The Art & Creative Materials Institute, Inc. (ACMI) are certified in a program of toxicological evaluation by a medical expert to contain no materials in sufficient quantities to be toxic or injurious to humans or to cause acute or chronic health problems. This program is reviewed by ACMI's Toxicological Advisory Board. These products are certified by ACMI to be labeled in accordance with the chronic hazard labeling standard, ASTM D-4236 and Federal law, P.L. 100-695. In addition, there is no physical hazard as defined within 29 CFR Part 1910.1200(c). Additionally, products bearing the CP Seal meet the specific requirements of material, workmanship, working qualities and color described in the appropriate product standard issued by ACMI or other recognized standards organization.

### MSDS covers items:

**U.S.:** E510, E511, E512, E515, E516, E517, E521, E542, E553, E556, E1522, E1530, E3202

**Canada:** 60201, 60202, 60591, 60592, 60593, 60594, 60596, 60598, E1530CA

### User's Responsibility:

The OSHA Hazard Communication Standard 29CFR 1910.1200 and the Workplace Hazardous Materials Information System (WHMIS) require that the information contained on these sheets be made available to your workers. Educate and train your workers regarding OSHA and WHMIS precautions. Instruct your workers to handle this product properly. Consult with appropriate experts to guard against hazards associated with use of this product and its ingredients.

ACN 006 947 637 ABN 23 796 863 716  
48-58 Overseas Drive, Noble Park North, VIC 3174  
Australia  
Ph: +61 3 9890 1867 Fax: +61 3 9898 6527



# Safety Data Sheet

Date of Issue: Mar 2015 Revision Number: 06

**Disclaimer:**

SELLER MAKES NO WARRANTY, EXPRESS OR IMPLIED, CONCERNING THE PRODUCT OR THE MERCHANTABILITY OR FITNESS THEREOF FOR ANY PURPOSE, EXCEPT THAT THE PRODUCT SHALL CONFORM TO CONTRACTED SPECIFICATIONS, AND THAT THE PRODUCT DOES NOT INFRINGE ANY VALID UNITED STATES OR CANADIAN PATENT. NO CLAIM OF ANY KIND SHALL BE GREATER IN AMOUNT THAN THE PURCHASE PRICE OF THE QUANTITY OF PRODUCT IN RESPECT OF WHICH DAMAGES ARE CLAIMED. IN NO EVENT SHALL SELLER BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES, WHETHER BUYER'S CLAIM IS BASED ON CONTRACT, BREACH OF WARRANTY,